



GLOBAL EMERGENCY MEDICAL REGISTRY

Naloxone Nasal Administration Emergency First Aid Skills Documentation Form

Candidate (Print): _____ Date: _____

Examiner (Instructor Name Printed): _____

Examiner Signature: _____

Evaluation Type: Initial Certification Remediation Renewal

Note: Examiner will use a CPR manikin, Naloxone nasal trainer, and oxygen non-rebreather mask for this skill.

PASS _____ FAIL _____

Task	Correct	Incorrect
<u>Initial Response and Scene Management:</u>		
Ensures scene is safe for emergency first aid personnel to approach and uses needle hazard awareness.		
Uses appropriate Personal Protective Equipment (PPE)		
Checks responsiveness appropriately		
Activates emergency medical response or directs bystander to accomplish activation		
Assesses breathing and pulse (≤ 10 seconds)		
Recognizes signs of opioid overdose (e.g., slow/absent breathing, pinpoint pupils, cyanosis)		
<u>Airway and Ventilation Section:</u>		
Opens airway (head tilt–chin lift or jaw thrust)		
Initiates rescue breathing if no respirations are present with a one way valve mouth to mask device		
Visible chest rise achieved on patients with normal BMI		
Continues ventilations while preparing naloxone		
<u>Preparation of Intranasal Naloxone Section</u>		
Verifies medication (correct drug and device)		
Checks expiration date		
Removes device from packaging correctly		
Positions patient supine with head supported		
Supports head and neck appropriately		
<u>Administration of Intranasal Naloxone</u>		
Inserts nozzle fully into one nostril		
Delivers full dose with firm plunger depression		
Maintains head support during administration		



GLOBAL EMERGENCY MEDICAL REGISTRY

Removes device safely		
Post Administration Care Section		
Resumes/continues rescue breathing immediately , if necessary		
Monitors breathing and responsiveness		
Places patient in recovery position if breathing resumes		
Prepares for repeat dose after 2–3 minutes if no response		
Maintains safety awareness and anticipates possible agitation upon reversal		
Communication and Documentation Section		
Communicates clearly with EMS upon their arrival		
Reports time and number of doses administered		
Documents intervention appropriately (verbal scenario description acceptable for skills testing)		

Critical Failure Criteria

Failure to establish oxygenation and ventilation for the patient
Failure to utilize Intranasal Naloxone correctly
Failure to identify possible opioid overdose
Failure to manage the patient as a competent provider
Exhibits unacceptable affect with patient or other personnel
Uses or orders a dangerous or inappropriate intervention

NOTE: You must factually document any “incorrect” or critical failure criteria on the bottom or back of this form.